






Gebrauchsanweisung	
52 3136	52 2942
(D)	(GR)
V01,V04	V02,V03
52 2568	52 2943
(NL)	(ES)
V01,V04	V02,V03
52 2569	52 2944
(F)	(P)
V01,V04	V02,V03
52 2945	52 2949
(I)	(S)
V02,V03	V02,V03
52 2950	52 2951
(N)	(SF)
V02,V03	V02,V03
52 2952	52 3314
(DK)	(GB)
V02,V03	V02,V03
52 3501	52 3136
(F)	(D)
V02,V03	V02,V03
 Aufstellanweisung	
51 8040	
(D,NL,F,E,GB,I,P)	
51 8044	
(D,I,F,S,DK)	
51 8079	
(S,N,SF,DK)	
 1) 35 3272 35 3814	
(D) V01	(S) V03
Blende kompl.	
35 3830	35 3831
(D) V02	(F) V04




Zubehör:


Unterbauszubehör
 WZ 20190
 Verbindungssatz für
 Wasch-Trockensäulen
 WZ 20170
 Anschlußgarnitur
 Kondenswasserableitung
 WZ 20160
 Höhenanpassung 90 cm
 Unterbausockel
 KX 98 5900

1) 26 5390
 V01, V04
 26 5764
 V02, V03





Schmiermittel
 Molykote PG 30 L
 15 5280



1) 15 4147
2) 16 5277

Dichtband
04 3540