



Electrolux

ELECTROLUX HOME PRODUCTS PTY LTD

ABN 51 004 762 341

Technical Publication N° DR1011

Issue: 2

Date: 06/18

Westinghouse (NZ)


TUMBLE DRYERS

SECTION	PAGE N°
GENERAL ASSEMBLY	2 & 3
FUNCTIONAL ASSEMBLY	4 & 5
DOOR ASSEMBLY	6
SPECIFICATIONS	7


MODELS:

WDV6051

PNC 916002096 00




ITEM	PART N°	DESCRIPTION Ex. 7263C	QTY
1	A00695605	Trim Insert. NZ spare	1
	A00695606	Trim Insert, Reverse.. NZ spare	1
2	133378302	Panel Control. NZ spare	1
3	133379211	Button On/Off.. NZ spare	1
4	133145400	Spring, On/Off button..NZ spare	1
5	0534300050	Switch On/Off	1
6	808753614K	PCBA MBUI W/House-EDR10223 NZ spare	1
7	0150300005	Screws, PCB board	2
14	0150 300 014	Screw, N° 8 x 3/8", Hex W/HD.	30
15	0028 300 026	Cover Assy, Back Panel	1
16	133120900	Nut, M8	1
17	N.P.N	Washer	1
18	0038 300 571	Panel, Back	1
19	0353 300 002	Heater Assy	1
20	0542 377 026	Bearing, Drum, Rear	1
21	32184401	Housing Drum Bearing	1
22	0150 200 084	Screw, Bearing Housing Securing	3
23	#0208 377 054	Seal & Spring kit, Drum	1
24	133404112	Drum Assy, S.S. (6kg)	1
25	0198 300 010	Belt, Drum Drive	1
26	0215 300 059	Service Cord	1
27	0049 300 016	Plug, Corner, RH	1
28	N.P.A.	Bracket, Service Cord & Harness	1
29	0150 300 046	Screw, M4 Plastite x 14mm, Pan HD	5
30	0049 300 015	Plug, Corner, LH	1
31	0028 300 024	Cover, Door Switch Assy	1
31	0120 300 024	Spring, Door Switch	1
32	0488 303 001	Grille, Exhaust	1
33	0028 306 001	Cover, Exhaust	1
34	0028 300 024	Cover, Door Switch Assy	1
35	0030 300 158	Bracket, Door Switch	1
36	28353067	Switch, Door	1
37	0563 300 007	Striker, Door Switch	1
38	0150 300 027	Screw, N° 8 x 12.7mm, Hex HD.	1
N.I.	0173 300 792	Harness, Wiring (Inc. Thermistor & Grommet)	1
N.I.	0241 200 002	Grease, Molykote, Door Switch Striker (25ml)	x
N.I.	0271 300 002	Spacer	2
N.I.	0030 377 193	Bracket Kit, Wall (Inc. Spacers & Instructions)	1
N.I.	0616 301 001	Instruction, Wall Bracket	1



ITEM	PART N°	DESCRIPTION Ex. 5556	QTY
1	0144 300 021	Filter Assy	1
2	A00165503	Housing & Cover Assy (Inc Item 22)	1
3	133255100K	Bearing Kit (Inc. Item 4) (Kit of 5)	1
4	Refer Item 3	Seal, Drum Front	1
5	0028 300 017	Cover, Housing Duct (Inc. Items 6 & 25)	1
6	0208 300 052	Seal, Housing Duct Cover	1
7	0559 300 017	Duct, Extension	1
8	0120 300 016	Spring, Belt Tension	1
9	133136801	Bracket, Motor Support, Rear	1
10	0150 300 056	Screw, M4 x 14mm, Plastite Hex HD	5
11	0023 377 021	Ring Assy, Motor Mount (Kit of 2)	1
12	0197 300 040	Pulley, Idler	1
13	0214 377 106	Motor Kit (Inc. Items 11, 14, 15, 16 & 20)	1
14	125653961	Capacitor, 8 µF (Inc. Items 15 & 16)	1
15	Refer Item 14	Washer, 8 mm Ext Shakeproof	1
16	Refer Item 14	Nut, M8 Hex	1
17	0173 300 792	Wiring Harness Assy (Inc. Thermistor & Item 18)	1
18	Refer Item 17	Grommet	1
19	N.P.A.	Plate, Motor Mounting	1
20	0065 377 014	Nut & Washers Kit	1
21	0026 377 002	Fan, Blower (Inc. Item 20)	1
22	Refer Item 2	Cover, Blower Housing	1
23	0150 300 046	Screw, M4 Plastite x 14mm, Pan HD	1
24	0208 300 051	Seal, Blower Housing	1
25	0208 300 052	Seal, Housing Duct Cover (Cut to Suit)	1
26	N.P.A.	Bracket, Wrap Stiffening	1

MODELS: WDV6051

EX. VIEW DRAWING 5241B
DOOR ASSEMBLY



ITEM	PART N°	DESCRIPTION	Ex. 5241B	All
1	133376202	Cover, Door, White		1
2	0612307001	Button, Door, White		1
3	0563 300 005	Striker, Door		1
4	0120 300 017	Spring, Door Striker		1
5	133260101	Hinge Plate		2
7	0009 307 001	Door Window		1
8	0150 300 060	Screw, M4 Taptite x 18mm, Pan HD		2
9	0150 300 046	Screw, M4 Plastite x 14mm, Pan HD		1
10	0208 300 029	Seal, Door		1
11	0150 300 059	Screw, M4 Plastite x 20mm, Pan HD		2
12	0045 300 029	Hinge, Door		1

SPECIFICATIONS

POWER SUPPLY	240 volt AC, 50 Hz, 10 amp
HEATER Total	Dual Element 2100W (750W + 1350W)
PROGRAMS Sensor Drying Timer Drying Temperature Settings Options Delay Start	Push Button Selection Extra Dry, Normal Dry, Iron Dry 90 min, 60 min & 30 min Normal, Delicates & Airing Buzzer (end of program only) & Crease Free 3 Hrs, 6 Hrs & 9 Hrs
MOTOR Orange to Blue Wire Locked Rotor Current Capacitor	41Ω (approx) 2 amp (approx) 8μF
TEMPERATURE CONTROL Exhaust Sensor Thermal Cutout Safety	NTC Thermistor – Located on the motor mounting plate Opens 92°C – Part of the heater assy One Shot Fusible 160°C – Part of the heater assy
DRYING CAPACITY (to ASNZS 2442.1) EDV5051 EDV6051	5kg 6kg
ENERGY LABEL RATING	2 Stars
DIMENSIONS EDV5051 EDV6051	H 800mm x W 602mm x D 557mm H 800mm x W 602mm x D 598mm
ACCESSORIES Stacking Kit Vent Kit – Thru the Wall Vent Kit – Flexi Duct	DKSK03 to be used on top of Electrolux washers with split cabinet only or ACC093 on all other models DVK005 DVK006

