



Kullanma kilavuzu
58 6747


(TR)

1) 16 3581
2) 18 9708





- 1) 35 4164
- 2) 49 0759
- 3) 49 0761
- 4) 49 0760
- 5) 35 4314
- 6) 17 1321



Pos.	Matsh		
	DD66C		
1	14 2136		
2	18 7957		
3	16 3427		
4	35 4158		
5	17 1519		
6	18 1014		
7	17 1318		
8	49 1245		
9			
10			
11			
12			

TECHNISCHE DATEN/TECHNICAL DATA/TEKNIK BİLGİLER			
Verdichter/Compressor/Kompresör	Matsushita		
Typ/Type/Tip	DD66C14GAX5		
Förderleistung/Delivery/Verim 1/h			
Anlaufstrom/Starting current/Giris akimi	A	9.94	
Widerstand/Resistance/Rezistans Ha/	Ohm	10.55	
Hi/aux.	Ohm	19.2	
Temp.Reyler/Thermostat/Termostat	RANCO		
Typ/Type/Tip	K60		
Reglerstellung/Position/Termostat pozisyonu			
Schaltwerte/Actua kapama degerleri	..ein/acma °C		
Valeurs de commutation/Termostat degeri	..aus"/kapama		
(..abtaven' od)	..alarm'		
Füllmenge/Fill. quantity/ Dolum miktarı	R134a	g	*
Anschlusswert/Comm. load/Giris gucu	W	183	
Heizung/Heater/Rezistans			
Widerstand/Resistance/Direnc	Ohm		
Leistung/Power/Guc	W		
Ventilador/Blower/Vantilatör			
Widerstand/Resistance/Rezistans	Ohm		
Magnetventil/Magnetic valve/Manyetik valf			
Widerstand/Resistance/Rezistans	Ohm		
Spannung/Voltage/Gerilim	V		
Temp.Reyler/Thermostat/Termostat			

* Siehe Typenschild/Mamul etiketine bakiniz